



## Foaming and interfacial properties of gelatin from fish skin

Casanova, Federico; Mohammadifar, Mohammad Amin; Jessen, Flemming

*Publication date:*  
2019

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Casanova, F., Mohammadifar, M. A., & Jessen, F. (2019). *Foaming and interfacial properties of gelatin from fish skin*. Poster session presented at 8th International Symposium on Food Rheology and Structure, Zürich, Switzerland.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Foaming and interfacial properties of gelatin from fish skin

Federico Casanova <sup>a\*</sup>, Mohammad Amin Mohammadifar <sup>a</sup> and Flemming Jessen <sup>a\*</sup>

<sup>a</sup> Food Production Engineering, DTU Food, Technical University of Denmark, Søtofts Plads 227, Dk-2800 Lyngby, Denmark.

## Intro

The large quantities of by-products generated by the fish-processing industry are a potential source for the production of gelatin.

Protein based foams are the essential building component of many aerated food structures: breads, cakes, extruded and expanded cereal, whipped creams, ice creams.

Can gelatin from fish skin be employed as a good foaming agent in food applications?


## Strategy

A and B (commercial fish gelatin)  
C and D (fish skin gelatin)





- Chemical composition
  - Amino acid analysis
  - SDS-PAGE
    - Double wall ring interfacial rheology
    - Foaming properties

## Results

Amino acid (residues/1000 residues)	A	B	C	D
Arginine	64	58	57	74
Serine	43	68	65	68
Hydroxyproline	99	68	73	71
Glycine	252	271	289	272
Threonine	26	25	15	28
Alanine	93	93	102	85
Proline	107	94	105	92
Methionine	12	17	7	12
Aspartic acid	58	63	60	58
Valine	50	49	52	45
Histidine	7	10	5	9
Lysine	35	28	28	33
Glutamic acid	91	95	113	99
Tryptophan	0	0	0	0
Leucine	26	23	10	20
Phenylalanine	15	15	7	13
Isoleucine	20	22	11	20
C-C	0	0	0	0
Tyrosine	3	3	2	3



Sample	Moisture (%)	Ash (%)	Protein (%)	Fat (%)
A	5.41 ± 0.64	0.14 ± 0.12	95.36 ± 0.23	0.32 ± 0.18
B	11.73 ± 0.08	0.18 ± 0.03	94.24 ± 0.72	0.29 ± 0
C	7.09 ± 0.06	27.62 ± 0.11	71.33 ± 0.34	0.78 ± 1.09
D	4.81 ± 1.28	24.39 ± 1.06	60.34 ± 1.48	0.05 ± 0.01



## Partial conclusion

- Small peptides for sample A (no distinct bands for B)
  - Higher viscoelastic properties for sample C
  - Gelatin from fish skin (sample C and D) present +48 ± 2 % of foam stability after 30 min compared to A and B.

## Future directions

- Pendant drop, ellipsometry, film pressure balance as well as small angle X-ray scattering (SAXS) to understand these differences
  - Combined effect of ultrasound, pH varying and temperature to increase foam stability